



Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 13

ABC Shampoo For Dry Hair 1. Prio new

SDS No. : 620632
V001.0

Revision: 26.10.2018
printing date: 08.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ABC Shampoo For Dry Hair 1. Prio new

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:
Shampoo

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA
Düsseldorf Germany
Henkelstr. 67
40191 Düsseldorf
Phone: +49 211-797-0

E-mail address of person responsible for Safety Data Sheet:

Henkel Cosmetics, e-mail : Elisabeth.Poppe@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.
Further information is available at Poison Control Centers.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Skin irritation	Category 2
Causes skin irritation.	
Serious eye irritation	Category 2
Causes serious eye irritation.	

2.2. Label elements (CLP)

Hazard pictogram:



Signal word:	Warning
Hazard statement:	H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statement: Prevention	P264 Wash skin thoroughly after handling. P280 Wear protective gloves.
Precautionary statement: Response	P302+P352 IF ON SKIN: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	270-407-8	01-2119513401-57	>= 10- < 20 %	H315 Skin irritation 2; Dermal H318 Serious eye damage 1
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	263-058-8	01-2119489410-39	>= 3- < 4 %	H318 Serious eye damage 1 H412 Chronic hazards to the aquatic environment 3
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	263-174-9	01-2119976339-21	>= 1- < 10 %	H319 Serious eye irritation 2
Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride 65497-29-2			>= 0,1- < 0,25 %	H400 Acute hazards to the aquatic environment 1 H410 Chronic hazards to the aquatic environment 1

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

not relevant.

Skin contact:

Rinse with running water and soap.

Take off all clothing contaminated by the product.

If necessary, see a dermatologist.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:
All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:
None known

5.2. Special hazards arising from the substance or mixture

The release of following substances is possible in case of fire:

carbon oxides.
nitrogen oxides
Hydrogen chloride.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.
Wear protective equipment.

Additional information:

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations.
Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

6.2. Environmental precautions

Do not allow to enter drainage system, surface or ground water of not diluted product.
Do not dispose of in wastepaper bin or trash-can.

6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (chemical binder)
Dilute small quantities with large amount of water and rinse.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling advice:
Avoid skin and eye contact.

Fire and explosion protection information:
No special measures required if used properly.

Hygiene measures:
Do not eat, drink or smoke while working.
Immediately remove soiled or soaked clothing.
Wash hands before work breaks and after finishing work.
Keep away from food, beverages and animal feed.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container protected against moisture.
Store far from foodstuffs.

7.3. Specific end use(s)

Shampoo

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for
Germany

None

8.2. Exposure controls

Engineering controls:
Ensure good ventilation/suction at the workplace.

Respiratory protection:
Not needed.

Hand protection:
For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Manufacturer e.g. German company KCL, type Dermatril.

Eye protection:
Protective goggles

Skin protection:
Suitable protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture:

Appearance	liquid viscous, clear yellow
Odor	floral, fruity, powdery
pH (20 °C (68 °F))	4,50 - 5,00
Initial boiling point	Not applicable
Flash point	Not applicable
Decomposition temperature	Not applicable
Vapour pressure	Not applicable
Density (20 °C (68 °F))	1,020 - 1,050 g/cm ³
Bulk density	Not applicable
Viscosity (Haake; Instrument: Haake VT 550; 20 °C (68 °F); speed of rotation: 8 min ⁻¹ ; Rotary measuring system: MV II)	8.000 - 13.000 mPa.s
Viscosity (kinematic)	Not applicable
Explosive properties	Not applicable
Solubility (qualitative) (20 °C (68 °F); Solvent: Water)	Soluble
Solidification temperature	Not applicable
Melting point	Not applicable
Flammability	Not applicable
Auto-ignition temperature	Not applicable
Explosive limits	Not applicable
Partition coefficient: n-octanol/water	Not applicable
Evaporation rate	Not applicable

Vapor density	Not applicable
Oxidising properties	Not applicable
Container pressure	Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

None known.

10.3. Possibility of hazardous reactions

See section reactivity

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

General toxicological information:

The present product is a chemical preparation within the meaning of the chemicals act. The following evaluation has been made on the basis of the toxicological data and content by weight of the individual ingredients.

11.1. Information on toxicological effects

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LD50	2.079 mg/kg	rat	not specified
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	LD50	> 5.000 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	LD50	> 5.000 mg/kg	rat	not specified
Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride 65497-29-2	LD50	12.500 mg/kg	rat	not specified

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LD50	6.300 - 13.500 mg/kg	rabbit	not specified
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Test atmosphere	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LC50	> 52 mg/l	vapour	4 h	rat	not specified

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	moderately irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	highly irritating		rabbit	not specified
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	highly irritating	24 h	rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	not sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	not sensitising	Guinea pig maximisation test	guinea pig	Magnusson and Kligman Method

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	negative	bacterial reverse mutation assay (e.g Ames test)			OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	negative	in vitro mammalian chromosome aberration test			OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Carcinogenicity

No data available.

Reproductive toxicity:

No data available.

STOT-single exposure:

No data available.

STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOAEL 195 mg/kg	oral: unspecified	chronic	rat	not specified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOAEL 259 mg/kg	oral: unspecified	chronic	rat	not specified
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	NOAEL 1.000 mg/kg	oral: gavage	28 days 1 x/day, 5 x/week	rat	EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))

Aspiration hazard:

No data available.

SECTION 12: Ecological information

General ecological information:

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LC50	> 3,4 - 4,9 mg/l	96 h	Leuciscus idus	DIN 38412-15
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	1,8 mg/l		Pimephales promelas	OECD Guideline 210 (fish early lite stage toxicity test)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	LC50	6,7 mg/l	96 h	Brachydanio rerio (new name: Danio rerio)	ISO 7346-1 (Determination of the Acute Lethal Toxicity of Substances to a Freshwater Fish [Brachydanio rerio Hamilton-Buchanan (Teleostei, Cyprinidae)])
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	NOEC	0,135 mg/l	100 d	Oncorhynchus mykiss	OECD Guideline 210 (fish early lite stage toxicity test)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	LC50	5,04 mg/l	96 h	Danio rerio	OECD Guideline 203 (Fish, Acute Toxicity Test)
Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride 65497-29-2	LC50	> 0,2 - 0,8 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC50	4,53 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	EC50	3,7 mg/l	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	EC50	4,6 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	6,3 mg/l	21 h	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)
Ethanesulfonic acid, 2-	NOEC	4 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia

(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2					magna, Reproduction Test)
---	--	--	--	--	---------------------------

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC50	5,2 mg/l	72 h	Skeletonema costatum	ISO 10253:2006 (Marine algal growth inhibition test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	3,2 mg/l	72 h	Skeletonema costatum	ISO 10253:2006 (Marine algal growth inhibition test)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	EC50	2,6 mg/l	96 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	EC50	> 100 mg/l	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	NOEC	10 mg/l	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC10	14 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	EC0	10.000 mg/l	16 h	Pseudomonas putida	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	EC50	513 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6		aerobic	88 %	28 d	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	readily biodegradable	aerobic	98 %	30 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	readily biodegradable	aerobic	86 %	28 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	inherently biodegradable	aerobic	97 - 100 %	28 d	EU Method C.9 (Biodegradation: Zahn-Wellens Test)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	readily biodegradable	aerobic	82 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride 65497-29-2	not readily biodegradable.	aerobic	0 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride 65497-29-2	not inherently biodegradable	aerobic	51 %	28 d	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

Hazardous substances CAS-No.	LogPow	Temperature	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	-1,3	20 °C	EU Method A.8 (Partition Coefficient)
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	0,24	20 °C	EU Method A.8 (Partition Coefficient)

12.5. Results of PBT and vPvB assessment

Hazardous substances CAS-No.	PBT / vPvB
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 61789-40-0	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivs., sodium salts 61791-42-2	Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:
Consider national regulations.

SECTION 14: Transport information

- 14.1. UN number**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.2. UN proper shipping name**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.3. Transport hazard class(es)**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.4. Packing group**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.5. Environmental hazards**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.6. Special precautions for user**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**
not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations/information (Germany):

WGK: 2, water-endangering product. (German VwVwS of May 17, 1999)
Classification in conformity with the calculation method

Storage class according to TRGS 510: 10

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Further information:

This information is not related to the use of the product, it is based on our current level of knowledge.